

## BLUE PUCK DI Mesh



Industrial MESH 2.4 Ghz digital input sensor

### BENEFITS

- Simple deployment, maintenance, and expansion
- Digital input management
- Waterproof (IP68)
- Smart & secure programming by NFC
- Over-the-air (OTA) firmware update via network



## TECHNICAL SPECIFICATIONS

### OPERATING MODE

<b>Frequency</b>	2.4 GHz – BLE channel / Mesh network
<b>Output power</b>	Up to +4 dBm (Smart network)
<b>Range</b>	Up to 140 meters open field (+4 dBm)
<b>Transmission period</b>	Transmission periods 15" to 18H.
<b>Radio frame format</b>	Setting of the 3-byte identifier, WIREPAS Network Address and Channel.
<b>Settings and configuration</b>	Interface/protocol : NFC (Type 2) Network Configuration and Diagnostics: Wirepas Network Tool software
<b>Autorole mode</b>	Periodic data transmission of digital input state and state change counter
<b>Sensor performance</b>	<b>Digital input:</b> Static state: 3V Controllable by a simple switch High state detection: from 2.1V to 3V Low state detection: de 0V à 0.7V <b>State change detector:</b> Immediate transmission at each change of state Input instant status: (1 bit : 1 = closed contact, 0 = open contact) <b>Event counter:</b> Counting the number of passages at 1 of the entry (16 bits)

## BATTERY

<b>Power supply</b>	3 VDC - Internal lithium battery
<b>Battery life</b>	Up to 4 years Battery voltage level sent via network and on MQTT Topic* <i>*Refer to the battery life curves for more information.</i>

## CERTIFICATIONS

<b>Europe</b>	CE : EN 300 328/EN 300 330, EN 301 489, EN 62311, EN 62368
<b>USA</b>	FCC : FCC PART 15
<b>Canada</b>	ISED : RSS-247/ICES-003
<b>RoHS</b>	Yes


## HOUSING

<b>Dimensions</b>	Ø 57mm base – Height : 20mm
<b>Weight</b>	41g
<b>Materials</b>	DELTRIN (POM C) Compatible with food product (90/128/EEC)
<b>Cable</b>	Provided with 1m cable Red : + White : GND
<b>Waterproof grade</b>	IP68
<b>Operating temperature</b>	-40°C to +85°C


## ACCESSORIES

<b>Tag support</b>	<b>Holder + double-sided adhesive:</b> PUCK HOLDER STICKER (ACIOM118B) <b>Holder only:</b> PUCK HOLDER (ACIOM117B) <b>Double-sided adhesive only:</b> PUCK STICKER (ACIOM188) 3M PT1100 - Ø 55mm – Thickness: 1,1mm
--------------------	---

## MECHANICAL DRAWINGS



Blue PUCK DI MESH



PUCK HOLDER